



**DOUBLE ACTING
"ADA"**

**SPRING RETURN
"ASR"**

| Item | Description | Material | Item | Description | Material |
|------|----------------------------|----------------------------|------|----------------------|----------------------------|
| 1 | Body | Aluminium Hard Anodized | 23 | Centering Ring | Nickel Plated Carbon Steel |
| 2 | Piston | Aluminium | 24 | Plug Air Stop | NBR |
| 3 | Pinion | Nickel Plated Carbon Steel | 25 | Slide Guide | Resin |
| 4 | End Caps | Aluminium Epoxy Coated | 26 | Lower Pinion Bearing | Hostalen |
| 5 | Soft Pinion Washer | Nylon 6.6 | 109 | O-Ring | NBR |
| 6 | Slide Piston | Polyamide | 110 | O-Ring | NBR |
| 8 | Pinion Washer | Stainless Steel | 111 | O-Ring | NBR |
| 10 | Upper Pinion Bearing | Hostalen | 113 | Bolt | Stainless Steel |
| 12 | Stop | A-216 WCB | 118 | O-Ring | NBR |
| 14 | (*) Spring's Long Support | Nylon 6.6 | 119 | O-Ring | NBR |
| 15 | (*) Spring's Short Support | Nylon 6.6 | 125 | Washer | Stainless Steel |
| 16 | Leveling Screw | A4 -70 | 913 | Set Screw | Stainless Steel |
| 18 | (*) Bolt | Stainless Steel | 471 | External Circlip | Stainless Steel |
| 19 | (*) Spring | DIN 2076 -D-5.6 | 934 | Nut | Stainless Steel |
| 20 | Position Indicator | Polyamide | 985 | (*) Nut | Stainless Steel |
| 21 | Cam | Polyamide | | | |

(*) Only for serie **ASR**

